

**NATIONAL RADIO ASTRONOMY OBSERVATORY  
Green Bank, West Virginia**

**ELECTRONICS DIVISION INTERNAL REPORT NO. 302**

**SURFACE IMPEDANCE OF SUPERCONDUCTORS AND  
NORMAL CONDUCTORS IN EM SIMULATORS**

**A. R. Kerr**

**February 19, 1996**

# Surface Impedance of Superconductors and Normal Conductors in EM Simulators

A. R. Kerr  
February 19, 1996

The concept of surface impedance . . . . .	2
Two types of electromagnetic simulator . . . . .	2
Representation of conductors by surface impedances . . . . .	3
(a) A thick conductor represented as a single conducting sheet . . . . .	3
(b) A conductor of thickness $t$ represented as a pair of conducting sheets. . . . .	4
Surface impedance of conductors of finite thickness . . . . .	5
(a) Excitation from one side . . . . .	5
(b) Symmetric and anti-symmetric excitation from both sides . . . . .	6
Modified surface impedance for thin conducting sheets representing a thick conductor . . . . .	7
Examples . . . . .	8
Acknowledgment . . . . .	9
References . . . . .	9
APPENDIX: Derivation of formulas used in the report . . . . .	10
SA1 Inductance of a thin layer containing a uniform magnetic field . . . . .	10
SA2 Surface impedance $Z_s$ and skin depth $\delta$ of a normal conductor . . . . .	10
SA3 Surface impedance $Z_s$ and penetration depth $\lambda_L$ of a superconductor . . . . .	11
SA4 Surface impedance $Z_s$ of a normal conductor of finite thickness . . . . .	13
SA5 Surface impedance $Z_s$ of a superconductor of finite thickness . . . . .	15
SA6 Effective surface impedance $Z_s$ of a normal conductor of finite thickness excited from both sides . . . . .	15
SA7 Effective surface impedance $Z_s$ of a superconductor of finite thickness excited from both sides . . . . .	16

# Surface Impedance of Superconductors and Normal Conductors in EM Simulators

A. R. Kerr  
February 19, 1996

Electromagnetic simulators can give very accurate solutions for microwave circuits with ideal conductors. When the conductors are non-ideal, accurate results may still be obtained in many cases by specifying material parameters or surface impedances. However, for structures in which the penetration depth of the field into the conductors is of the same order as the conductor thickness, considerable error can occur. This is not only a result of the conductor thickness being insufficient to contain the field completely, but is due in part to a separate effect which arises when thick conductors are represented by thin sheets with surface impedance. For superconducting microstrip circuits of typical dimensions, such errors can easily be as great as 20% in  $\epsilon_{\text{eff}}$  and 10% in  $Z_0$ . In many cases, a simple correction to the surface impedance substantially improves the accuracy.

## The concept of surface impedance

For an ideal conductor in an electromagnetic field, the tangential component  $E_t$  of the electric field at the surface is zero. A current flows in a thin sheet on the surface, as required to support the magnetic field  $H_t$  tangential to the surface. This short-circuit boundary condition excludes all fields from the interior of the ideal conductor. In a real conductor, fields extend into the conductor, but decrease rapidly with distance from the surface. To avoid the complication of solving Maxwell's equations inside conductors, it is usual to make use of the concept of surface impedance. The surface impedance  $Z_S = E_t/H_t$  provides the boundary condition for fields outside the conductor, and accounts for the dissipation and energy stored inside the conductor.

For a thick, plane conductor, the internal fields fall exponentially with distance from the surface, with  $1/e$  depth  $\Delta$ . For normal conductors,  $\Delta$  is the classical skin depth  $\delta = (2/\omega\sigma\mu)^{1/2}$ , and  $Z_S = (1+j)(\omega\mu/2\sigma)^{1/2}$ . In Au or Cu at 100 GHz and room temperature,  $\delta \approx 0.25 \mu\text{m}$ , and  $Z_S \approx 0.1(1+j)$  ohms/square. For a superconductor at a frequency well below its energy gap frequency,  $\Delta$  is the London penetration depth,  $\lambda_L$ , which is independent of frequency. For niobium at  $\sim 4^\circ\text{K}$ , at frequencies below  $\sim 700$  GHz,  $\lambda_L \approx 0.1 \mu\text{m}$ . The surface impedance  $Z_S = j\omega\mu_0\lambda_L$  ohms/square, corresponding to a surface inductance  $L_S = \mu_0\lambda_L$  H/square, which is independent of frequency. In niobium,  $L_S \approx 0.13$  pH/square, giving  $Z_S \approx j0.08$  ohms/square at 100 GHz.

## Two types of electromagnetic simulator

Two types of electromagnetic simulator are considered here: (i) three-dimensional finite element solvers, such as HP's *hfss*, which fill the space between the conductors with a three dimensional mesh, and determine E and B at every mesh point, consistent with the surface impedance boundary conditions, and (ii) method of moments solvers, such as Sonnet Software's *em*, which divide all conducting surfaces into (two-dimensional) subsections, then solve for the currents in the subsections which simultaneously satisfy the surface impedance boundary conditions.

There is a fundamental difference in the way the two simulators treat thick conductors ( $t \gg \Delta$ ). *hfss* computes the fields only in the space outside conductors — space inside conductors is ignored, but the effects of the internal fields are taken into account by the surface impedance which provides the boundary conditions for the field solution. In *em*, on the other hand, the surfaces of a thick conductor are represented by thin conducting sheets with surface impedance. The solution therefore has non-zero fields in the space between the conducting sheets (*i.e.*, inside the conductor) which are not the same as the internal fields in the actual metal. It is therefore necessary to use a modified value of surface impedance for such simulations. In many cases this correction is negligible, but when the surface impedance has a significant effect on the behavior of the circuit (*e.g.*, in superconducting microstrip lines), it can be substantial. This will be explained in more detail in a later section.

### Representation of conductors by surface impedances

To understand the way electromagnetic simulators treat a conductor of finite thickness, we examine the difference between an actual thick conductor and the model of the thick conductor which the simulator solves. The model of the conductor can be either a single thin sheet with the appropriate surface impedance, or a parallel pair of thin sheets separated by the thickness of the actual conductor.

Matick [1] has shown that the surface impedance seen by a plane wave normally incident on a conductor is the same as that seen by a wave traveling parallel to the conductor, as in a transmission line. For simplicity in the present discussion, we consider experiments in which a plane wave is normally incident on the surface of the conductor or model under test.

(a) A thick conductor represented as a single conducting sheet

Consider a plane wave normally incident on a plane (thick) conductor of surface impedance  $Z_s$ , as in Fig. 1(a). This is analogous to the circuit shown in Fig. 1(b), a long transmission line of characteristic impedance  $Z_\eta = (\mu_0/\epsilon_0)^{1/2} = 377$  ohms, at whose end an impedance  $Z_s$  ohms is connected.




Figure 1

Next, consider a plane wave normally incident on a thin sheet of surface impedance  $Z_s$ , as in Fig. 2(a). The corresponding transmission line equivalent circuit is shown in Fig. 2(b) — a long transmission line of characteristic

impedance  $Z_\eta = (\mu_0/\epsilon_0)^{1/2} = 377$  ohms, at whose midpoint A an impedance  $Z_S$  ohms is connected in parallel. With the plane wave incident from the left, the field on the line to the right of A is zero only if  $Z_S = 0$ . At A, the incident wave sees an impedance  $Z_S$  in parallel with 377 ohms (the right half of the long transmission line), as in Fig. 2(c).

Clearly, the thin sheet with surface impedance  $Z_S$  (Fig. 1) is not physically equivalent to a (thick) conductor of surface impedance  $Z_S$  (Fig. 2) unless  $Z_S = 0$ . The apparent surface impedance, seen by the incident plane-wave, in Fig. 2 is  $Z_S$  in parallel with 377 ohms, and some power is coupled through the thin sheet into the space on the other side. For cases in which  $|Z_S| \ll 377$  ohms/square (i.e., most practical cases), the error is inconsequential.




Figure 2

(b) A conductor of thickness  $t$  represented as a pair of conducting sheets

Consider the reflection of a plane wave from a conductor of thickness  $t$ , as shown in Fig. 3(a). The incident wave sees an impedance  $Z_S$  at the surface of the conductor - the value of  $Z_S$  is not the same as in the previous example. The impedance seen by the incident wave is as depicted by the circuit of Fig. 3(b). The appropriate value of  $Z_S$  for finite values of  $t$  is given in a later section.




Figure 3

Now consider a plane wave normally incident on a pair of thin sheets, of surface impedance  $Z_s$ , separated by distance  $t$ , as in Fig. 4(a). This is analogous to the circuit shown in Fig. 4(b), a long transmission line of characteristic impedance  $Z_\eta = (\mu_0/\epsilon_0)^{1/2} = 377$  ohms, at whose midpoint A an impedance  $Z_s$  is connected, with a second impedance  $Z_s$  a distance  $t$  to the right. If the distance  $t$  is much less than the wavelength, the impedance seen by a plane wave incident from the left is as depicted in Fig. 4(c). The inductance  $L = \mu_0 t$  accounts for the energy stored in the magnetic field between the conducting sheets. For a conductor  $0.3 \mu\text{m}$  thick, at  $100 \text{ GHz}$ , the reactance  $\omega L = \omega \mu_0 t = 0.24$  ohms/square.




Figure 4

It is clear that if a conductor is thick enough,  $\omega \mu_0 t \gg Z_s$ , and the two-sheet representation is sufficiently accurate. For normal metal conductors, this requires that  $t \gg \delta/2$ , and for superconductors  $t \gg \lambda_L$ .

Surface impedance of conductors of finite thickness

(a) Excitation from one side

When the thickness  $t$  of a conductor is not very much greater than the penetration depth  $\Delta$ , a field on one side of the conductor penetrates partially through to the other side. For normal conductors the surface impedance seen by the incident field is (see Appendix):

$$Z_s = \frac{k}{\sigma} \frac{e^{kt} + \frac{\sigma Z_\eta - k}{\sigma Z_\eta + k} e^{-kt}}{e^{kt} - \frac{\sigma Z_\eta - k}{\sigma Z_\eta + k} e^{-kt}}$$

Here  $k = (1 + j)/\delta$ , and  $Z_\eta = (\mu/\epsilon)^{1/2}$  is the characteristic impedance of space (377 ohms in vacuum).

In most cases  $Z_\eta \gg k/\sigma$ , and  $Z_s = \frac{k}{\sigma} \frac{e^{kt} + e^{-kt}}{e^{kt} - e^{-kt}}$ . When  $t$  is large, this reduces to the usual surface impedance formula  $Z_s = (1+j)(\omega\mu/2\sigma)^{1/2}$ .

In the case of a superconductor, when the thickness  $t$  is not much greater than the London penetration depth  $\lambda_L$ , the surface impedance is (see Appendix):

$$Z_s = j\omega\mu\lambda_L \frac{e^{\frac{t}{\lambda_L}} + \frac{Z_\eta - j\omega\mu\lambda_L}{Z_\eta + j\omega\mu\lambda_L} e^{-\frac{t}{\lambda_L}}}{e^{\frac{t}{\lambda_L}} - \frac{Z_\eta - j\omega\mu\lambda_L}{Z_\eta + j\omega\mu\lambda_L} e^{-\frac{t}{\lambda_L}}},$$

where again  $Z_\eta = (\mu/\epsilon)^{1/2}$  is the characteristic impedance of space (377 ohms in vacuum). In most cases  $Z_\eta \gg \omega\mu\lambda_L$ , so  $Z_s = j\omega\mu\lambda_L \coth t/\lambda_L$ . When  $t \gg \lambda_L$  this becomes the usual formula for superconductors:  $Z_s = j\omega\mu_0\lambda_L$ .

(b) Symmetric and anti-symmetric excitation from both sides

In the above, it has been assumed that the field is incident on the conductor from one side only. This is the case for ground planes, waveguide walls, wide parallel-plate transmission lines, and wide microstrip lines. In cases such as a stripline center conductor, equal fields are present on *both* sides of the conductor. In a few cases, such as a septum across a waveguide (parallel to the broad walls), equal but *opposite* fields are present on the two sides. For not-very-thick conductors in such symmetrical or anti-symmetrical fields, the effective surface impedance seen from one side is modified by the presence of the field on the other.

For a normal metal conductor of thickness  $t$  with symmetrical or anti-symmetrical excitation, the surface impedance is (see Appendix):

$$Z_s = k/\sigma \left[ \frac{e^{kt} + e^{-kt}}{e^{kt} - e^{-kt}} \pm \frac{2}{e^{kt} - e^{-kt}} \right],$$

where  $k = (1 + j)/\delta$ . The + sign is for symmetrical fields on the two sides, and the - sign for anti-symmetrical fields.

For a superconductor of thickness  $t$  with symmetrical or anti-symmetrical excitation, the surface impedance is (see Appendix):

$$Z_s = j\omega\mu\lambda_L \left[ \coth \frac{t}{\lambda_L} \pm \sinh \frac{t}{\lambda_L} \right].$$

Again, the + sign is for symmetrical fields on the two sides, and the - sign for anti-symmetrical fields. The following table gives the values of the coth and sinh terms, and their sum, for typical Nb conductor thicknesses assuming  $\lambda_L = 1000 \text{ \AA}$ .

$t \text{ \AA}$	$t/\lambda$	$\coth(t/\lambda)$	$\sinh(t/\lambda)$	$\coth(t/\lambda) + \sinh(t/\lambda)$
5000	5.0	1.000	0.007	1.007
4000	4.0	1.001	0.018	1.019
3000	3.0	1.005	0.050	1.055
2000	2.0	1.037	0.138	1.175
1500	1.5	1.105	0.235	1.340
2000	2.0	1.037	0.138	1.175
1600	1.6	1.085	0.210	1.295
1200	1.2	1.200	0.331	1.531
1000	1.0	1.313	0.425	1.738
800	0.8	1.506	0.563	2.069

Modified surface impedance for thin conducting sheets representing a thick conductor.

A modified value of surface impedance can be used to correct the discrepancy between the real conductor and the two-sheet model. Let  $Z_S$  be the desired surface impedance as given by the appropriate formula above, and let  $Z_X$  be the value of surface impedance of the conducting sheets which will result in an effective surface impedance of  $Z_S$  as seen by an incident wave, as depicted in Fig. 5.




Figure 5

In most practical cases  $Z_η$  is large compared with the other circuit elements, and can be ignored. Then, analysis of the circuit gives a quadratic equation in  $Z_X$  whose solution is

$$Z_X = \frac{1}{2} \left[ (2Z_S - j\omega\mu_0 t) \pm \left[ 4Z_S^2 + (j\omega\mu_0 t)^2 \right]^{\frac{1}{2}} \right].$$

In the case of a superconductor excited from one side,  $Z_S = j\omega\mu_0\lambda_L \coth(t/\lambda_L)$ . It follows that  $Z_X = \beta Z_S$ , where

$$\beta = \left[ 1 - \frac{t}{2\lambda_L \coth \frac{t}{\lambda_L}} + \sqrt{1 - \left( \frac{t}{2\lambda_L \coth \frac{t}{\lambda_L}} \right)^2} \right].$$

Fig. 6 shows  $\beta$  as a function of  $t/\lambda_L$ .






Figure 6

### Examples

To demonstrate the significance of the  $\beta$  and  $\tanh$  corrections to the surface impedance, consider a superconducting Nb microstrip transmission line of width  $6 \mu\text{m}$ , with a  $0.2 \mu\text{m}$ -thick dielectric layer with  $\epsilon_r = 3.8$ , over a Nb groundplane. The London penetration depth  $\lambda_L = 0.1 \mu\text{m}$ . In the first example, the Nb conductors are  $0.1 \mu\text{m}$  thick, and in the second example they are  $0.3 \mu\text{m}$  thick. The table below gives the effective dielectric constant and characteristic impedance of the microstrip when the upper conductor is represented by a pair of conducting sheets. Sonnet *em* was used, with the thick-conductor value of the surface impedance  $Z_S$  and the following corrections: (i) both  $\beta$  and  $\tanh(t/\lambda_L)$  corrections, (ii) only the  $\tanh(t/\lambda_L)$  correction, and (iii) no corrections. Corresponding results are also shown for the same microstrips (iv) with the upper conductor characterized as a single conducting sheet whose surface impedance includes the  $\tanh$  correction (but not the  $\beta$  correction, which applies only when two sheets are used), and, (v) with perfect conductors ( $Z_S = 0$ ). The second table gives the same results expressed as percentage deviations from the most accurate solution, (i).

	Nb thickness = $0.1 \mu\text{m}$		Nb thickness = $0.3 \mu\text{m}$	
	$\epsilon_{\text{eff}}$	$Z_0$	$\epsilon_{\text{eff}}$	$Z_0$
(i) Tanh & $\beta$ corrections	8.32	8.75	6.95	8.13
(ii) Tanh correction only	7.25	8.30	6.55	7.92
(iii) No tanh or $\beta$ corrections	6.41	7.84	6.53	7.91
(iv) Single-sheet	8.28	9.04	7.19	8.42
(v) Perfect conductors	3.55	5.90	3.53	5.87

	Nb thickness = 0.1 $\mu\text{m}$		Nb thickness = 0.3 $\mu\text{m}$	
	% errors wrt top line		% errors wrt top line	
	$\epsilon_{\text{eff}}$	$Z_0$	$\epsilon_{\text{eff}}$	$Z_0$
(i) Tanh & $\beta$ corrections	0%	0%	0%	0%
(ii) Tanh correction only	-13%	-5%	-6%	-3%
(iii) No tanh or $\beta$ corrections	-23%	-10%	-6%	-3%
(iv) Single-sheet	-1%	3%	3%	4%
(v) Perfect conductors	-57%	-33%	-49%	-28%

It is also of interest to compare the results obtained by Sonnet *em* with the most accurate analytical results available. We use the analytical results from a recent report by Yassin & Withington [2] for Nb microstrip lines of width 2, 4, and 6  $\mu\text{m}$ , with a 0.3  $\mu\text{m}$  dielectric layer of  $\epsilon_r = 3.8$ , with a Nb groundplane. The center conductor and groundplane are 0.3  $\mu\text{m}$  thick, and  $\lambda_L = 0.1 \mu\text{m}$ , so  $t/\lambda_L = 3$ . For this value of  $t/\lambda_L$ , the  $\beta$  correction is significant, but the tanh correction is very small. The results for the effective dielectric constant and characteristic impedance are compared below. Agreement is very close, except for the narrowest line, in which case there is a 4% disagreement in  $Z_0$ .

	Microstrip width 2 $\mu\text{m}$		Microstrip width 4 $\mu\text{m}$		Microstrip width 6 $\mu\text{m}$	
	$\epsilon_{\text{eff}}$	$Z_0$	$\epsilon_{\text{eff}}$	$Z_0$	$\epsilon_{\text{eff}}$	$Z_0$
Ref. [2]	5.13	26.1	5.50	15.1	5.68	10.7
Sonnet <i>em</i>	5.19	27.2	5.52	15.4	5.70	10.8
% difference	1%	4%	0%	2%	0%	1%

#### Acknowledgment

The author thanks Jim Merrill of Sonnet Software for his helpful discussions on the role of surface impedance in Sonnet *em*.

#### References

- [1] R.E. Matick, "Transmission Lines for Digital and Communication Networks", New York: McGraw-Hill, 1969.
- [2] G. Yassin and S. Withington, "Electromagnetic models for superconducting millimeter-wave and submillimeter-wave microstrip transmission lin," to appear in Journal of Physics D: Applied Physics, preprint received October 1995.

APPENDIX: Derivation of formulas used in the report

§A1 Inductance of a thin layer containing a uniform magnetic field

If a plane wave, normally incident on a perfect plane conductor, produces a current  $J$  A/m in the conductor, then by Ampere's law, the magnetic field near the conductor  $B = J\mu$ . In a layer of thickness  $dx$  parallel to the conductor, the stored magnetic energy  $dW = B^2 dx / 2\mu = J^2 \mu dx / 2$  per unit area. Let the inductance contributed by the magnetic field in this layer be  $dL$  H/square. This inductance is in series with the current  $J$  A/m. Then the energy stored in this inductance is  $J^2 dL / 2$  per unit area. It follows that  $dL = \mu dx$  H/square.

§A2 Surface impedance  $Z_S$  and skin depth  $\delta$  of a normal conductor

Consider a plane wave incident on a thick conductor. The incident wave excites voltages and currents in the conductor which vary with depth from the surface. An incremental thickness  $dx$  of a unit area of the conductor is characterized by the equivalent circuit of Fig. A1. From §A1 above, the magnetic field in the volume of thickness  $dx$  accounts for a series inductance  $\mu dx$  H/square. The conductivity  $\sigma$  has a parallel conductance  $\sigma dx$  S/square. Hence  $dZ = j\omega\mu dx$  and  $dG = \sigma dx$ . For this circuit, the input impedance is the surface impedance  $Z_S$ .




Fig. A1

Since the conductor is thick, the impedance looking to the right at any depth in the conductor is equal to the surface impedance  $Z_S$ . Hence

$$Z_{in} = Z_S = dZ + \frac{1}{dG + \frac{1}{Z_S}} = j\omega\mu dx + \frac{1}{\sigma dx + \frac{1}{Z_S}} .$$

Solving for  $Z_S$  gives  $Z_S^2 = j\omega\mu/\sigma$ , whence the standard result:

$$Z_S = (1 + j) \sqrt{\frac{\omega\mu}{2\sigma}} .$$

From the figure,  $di = i_2 - i_1 = v_1 dG = i_1 Z_s dG = i_1 Z_s \sigma dx$  .

Therefore 
$$\int_{i_0}^i \frac{di}{i} = Z_s \sigma dx \quad \text{or} \quad i = i_0 e^{Z_s \sigma (x - x_0)} .$$

The sign of the exponent is positive because of the choice of x-direction in Fig. A1. With the above expression for  $Z_s$ ,

$$i = i_0 e^{\sqrt{\frac{\omega \sigma \mu}{2}} (x - x_0)} \cdot e^{j \sqrt{\frac{\omega \sigma \mu}{2}} (x - x_0)} ,$$

from which the skin depth is

$$\delta = \sqrt{\frac{2}{\omega \sigma \mu}} .$$

### SA3 Surface impedance $Z_s$ and penetration depth $\lambda_L$ of a superconductor

The analysis for a superconductor is similar to that for a normal conductor, with the exception that the conductance element  $dG$  is replaced by a susceptance. As the superconductor is lossless, the current is limited only by the inertia of the Cooper pairs of electrons, which manifests itself as a kinetic inductance.

Consider a layer of superconductor of thickness  $dx$ . In terms of the average velocity of the carriers  $S$ , the current  $di = (n^* e^* S) dx$  A/m, where  $n^*$  is the effective density of carriers with effective charge  $e^*$ . If an AC voltage  $v = V e^{j\omega t}$  V/m is applied parallel to the surface, the force on a carrier is  $e^* v e^{j\omega t} = m^* dv/dt$ , where  $m^*$  is the effective mass of a carrier. The carrier velocity

$$S = \frac{e^*}{m^*} \int V e^{j\omega t} dt = \frac{1}{j\omega} \frac{e^*}{m^*} V e^{j\omega t} .$$

The current in the layer of thickness  $dx$  is therefore

$$di = \frac{1}{j\omega} \frac{n^* e^{*2}}{m^*} V e^{j\omega t} dx \quad \text{A/m} .$$

Writing  $di = dI e^{j\omega t}$  gives  $V = j\omega \frac{m^*}{n^* e^{*2}} \frac{1}{dx} dI$  ,

from which it is evident that the kinetic inductance of the layer is given by

$$d\left(\frac{1}{L}\right) = \frac{n^* e^{*2}}{m^*} dx .$$

Now consider a plane wave incident on a thick superconductor. The incident wave excites voltages and currents which vary with depth from the surface. An incremental thickness  $dx$  of a unit area of the superconductor is characterized by the equivalent circuit of Fig. A2.




Fig. A2

From §A1 above, the magnetic field in the volume of thickness  $dx$  accounts for a series inductance  $\mu dx$  H/square. Hence  $dZ = j\omega\mu dx$ . The kinetic inductance of the Cooper pairs in the same volume contributes a parallel admittance

$$dY = \frac{1}{j\omega} d\left(\frac{1}{L}\right) = \frac{n^*e^{*2}}{j\omega m^*} dx .$$

Since the conductor is thick, the impedance looking to the right at any depth in the conductor is equal to the surface impedance  $Z_S$ . Hence, in Fig. A2,

$$Z_{in} = Z_S = dZ + \frac{1}{dY + \frac{1}{Z_S}} = j\omega\mu dx + \frac{1}{\frac{n^*e^{*2}}{j\omega m^*} dx + \frac{1}{Z_S}} .$$

Solving for  $Z_S$  gives

$$Z_S = j\omega \sqrt{\frac{\mu m^*}{n^*e^{*2}}} .$$

To deduce the penetration depth in a superconductor, consider again the circuit of Fig. A2:

$$di = i_2 - i_1 = v_1 dY = i_1 Z_S dY .$$

With the above expressions for  $dY$  and  $Z_S$ ,

$$di = \sqrt{\frac{\mu n^* e^2}{m^*}} i dx .$$

$$\therefore i = i_0 e^{\sqrt{\frac{\mu n^* e^2}{m^*}} (x - x_0)} .$$

$$\text{or } i = i_0 e^{\frac{(x - x_0)}{\lambda_L}} .$$

(The sign of the exponent is positive because of the choice of x-direction in

Fig. A2). The quantity  $\lambda_L = \sqrt{\frac{m^*}{\mu n^* e^2}}$  is the London penetration depth, and is independent of frequency.

The expression for the surface impedance can be written in terms of  $\lambda_L$  as

$Z_s = j\omega\mu\lambda_L$  ohms/square, which corresponds to a surface inductance  $L_s = \mu\lambda_L$  H/square.

#### SA4 Surface impedance $Z_S$ of a normal conductor of finite thickness

To deduce the surface impedance of a normal conductor of thickness  $t$ , consider first an incremental thickness  $dx$  of the conductor. This is represented by the equivalent circuit of Fig. A3.




Fig. A3

In the figure,

$$di = v dG = \sigma v dx$$

and

$$dv = i dZ = j\omega\mu i dx ,$$

therefore 
$$\frac{d^2 i}{dx^2} = j\omega\sigma\mu i .$$

This has the solution 
$$i = i_+ e^{kx} + i_- e^{-kx},$$

where 
$$k = \sqrt{j\omega\sigma\mu} = (1 + j) \sqrt{\frac{\omega\sigma\mu}{2}} = \frac{1 + j}{\delta} ,$$

and  $\delta$  is the classical skin depth as derived above.

Now consider the equivalent circuit of the conductor, terminated on the right by the impedance of space  $Z_\eta$ , as shown in Fig. A4.




Fig. A4

In Fig. A4, 
$$i = i_+ e^{kx} + i_- e^{-kx}$$

and 
$$v = \frac{1}{\sigma} \frac{dv}{dx} = \frac{k}{\sigma} (i_+ e^{kx} - i_- e^{-kx}) .$$

At  $x = 0$ , 
$$\frac{v}{i} = \frac{k}{\sigma} \frac{i_+ - i_-}{i_+ + i_-} = Z_\eta .$$

Therefore 
$$i_- = -i_+ \cdot \frac{\sigma Z_\eta - k}{\sigma Z_\eta + k} ,$$

and hence,

$$Z_s = \frac{v(t)}{i(t)} = \frac{k}{\sigma} \left[ \frac{e^{kt} + \frac{\sigma Z_\eta - k}{\sigma Z_\eta + k} e^{-kt}}{e^{kt} - \frac{\sigma Z_\eta - k}{\sigma Z_\eta + k} e^{-kt}} \right] ,$$

where 
$$k = \sqrt{j\omega\sigma\mu} = (1 + j) \sqrt{\frac{\omega\sigma\mu}{2}} = \frac{1 + j}{\delta} .$$

In most practical situations  $Z_n \gg \frac{k}{\sigma}$ , so

$$Z_s \rightarrow \frac{k}{\sigma} \frac{e^{kz} + e^{-kt}}{e^{kz} - e^{-kt}} .$$

#### §A5 Surface impedance $Z_s$ of a superconductor of finite thickness

The analysis in this case follows that for the normal conductor but with  $dG$  replaced with  $dY = \frac{n^* e^{*2}}{j\omega m^*} dx$ . It follows that  $\frac{d^2 i}{dx^2} = \frac{1}{\lambda_L^2} i$ , and

$$Z_s = \frac{v(t)}{i(t)} = j\omega\mu\lambda_L \left[ \frac{e^{\frac{z}{\lambda_L}} + \frac{Z_n - j\omega\mu\lambda_L}{Z_n + j\omega\mu\lambda_L} e^{-\frac{t}{\lambda_L}}}{e^{\frac{z}{\lambda_L}} - \frac{Z_n - j\omega\mu\lambda_L}{Z_n + j\omega\mu\lambda_L} e^{-\frac{t}{\lambda_L}}} \right] ,$$

where  $\lambda_L = \sqrt{\frac{m^*}{\mu n^* e^{*2}}}$  is the London penetration depth derived above. Usually,  $Z_n \gg j\omega\mu\lambda_L$ , in which case we obtain the usual formula:

$$Z_s \rightarrow j\omega\mu\lambda_L \coth \frac{t}{\lambda_L} .$$

#### §A6 Effective surface impedance $Z_s$ of a normal conductor of finite thickness excited from both sides

When a conductor of finite thickness has fields incident on both sides, the apparent surface impedance on either side is affected by the field on the other. From above, and with reference to Fig. A4: When the excitation is on one side only,

$$i = i_+ e^{kx} + i_- e^{-kx}$$

and 
$$v = \frac{k}{\sigma} (i_+ e^{kx} - i_- e^{-kx}) ,$$

where 
$$k = \sqrt{j\omega\sigma\mu} = (1 + j) \sqrt{\frac{\omega\sigma\mu}{2}} = \frac{1 + j}{\delta} .$$



For one-sided excitation: at  $x = 0$ ,  $i = 0$ , so  $i_- = -i_+$ .

Therefore, 
$$v(0) = \frac{k}{\sigma} i_+ (e^{kx} + e^{-kx}) = 2 \frac{k}{\sigma} i_+.$$

At  $x = t$  
$$i(t) = i_+ (e^{kt} - e^{-kt})$$

and 
$$v(t) = \frac{k}{\sigma} i_+ (e^{kt} + e^{-kt}).$$

When the circuit is excited by equal current sources  $i = i_+ (e^{kt} - e^{-kt})$  on both sides, then at  $x = t$ , using superposition:

$$v(t) = \frac{k}{\sigma} i_+ (e^{kt} + e^{-kt}) + 2 \frac{k}{\sigma} i_+.$$

Therefore,

$$Z_s = \frac{v(t)}{i(t)} = \frac{k}{\sigma} \left[ \frac{e^{kt} + e^{-kt}}{e^{kt} - e^{-kt}} + \frac{2}{e^{kt} - e^{-kt}} \right].$$

If the excitation on the two sides is out of phase, the sign of the second term in the square brackets becomes negative.

#### §A7 Effective surface impedance $Z_s$ of a superconductor of finite thickness excited from both sides

The approach follows that used above for the normal conductor. For single-sided excitation, referring to Fig. A4,

$$i = i_+ e^{\frac{x}{\lambda_L}} + i_- e^{-\frac{x}{\lambda_L}}$$

and

$$v = j\omega\mu\lambda_L (i_+ e^{\frac{x}{\lambda_L}} - i_- e^{-\frac{x}{\lambda_L}}).$$

For one-sided excitation: at  $x = 0$ ,  $i = 0$ , so  $i_- = -i_+$ .

Therefore, 
$$v(0) = j\omega\mu\lambda_L i_+ (e^{\frac{x}{\lambda_L}} + e^{-\frac{x}{\lambda_L}}) = 2 j\omega\mu\lambda_L i_+.$$

At  $x = t$  
$$i(t) = i_+ (e^{\frac{t}{\lambda_L}} - e^{-\frac{t}{\lambda_L}})$$

and 
$$v(t) = j\omega\mu\lambda_L i_+ (e^{\frac{t}{\lambda_L}} + e^{-\frac{t}{\lambda_L}}).$$

When the circuit is excited by equal current sources  $i = i_+ (e^{kt} - e^{-kt})$  on both sides, then at  $x = t$ , using superposition:

$$v(t) = j\omega\mu\lambda_L i_+ (e^{\frac{t}{\lambda_L}} + e^{-\frac{t}{\lambda_L}}) + 2 j\omega\mu\lambda_L i_+.$$

Therefore,

$$Z_s = \frac{v(t)}{i(t)} = j\omega\mu\lambda_L \left[ \coth \frac{t}{\lambda_L} + \sinh \frac{t}{\lambda_L} \right].$$

If the excitation on the two sides is out of phase, the sign of the second term in the square brackets becomes negative.