



BPF 8-12
S/N 003
C10301A004

Final form -
Cover with absorber on

9a

37397C

MODEL: DATE: 07/19/2004 11:31 Page 1
DEVICE ID: OPERATOR:

START: 4.000000000 GHz GATE START: - ERROR CORR: 12-TERM
STOP: 20.000000000 GHz GATE STOP: - AVERAGING: 1 PT
STEP: 0.010000000 GHz GATE: - IF BNDWDTH: 1 KHz
WINDOW: -

PARAMETER:	-----CH1-----	-----CH3-----
NORMALIZATION:	-S21-	-S11-
REFERENCE PLANE:	OFF	OFF
SMOOTHING:	27.6665 cm	0.0000 mm
DELAY APERTURE:	0.0 PERCENT	0.0 PERCENT

S21 FORWARD TRANSMISSION
LOG MAGNITUDE REF=0.000 dB 1.000 dB/DIV



CH 1 - S21
REFERENCE PLANE
27.6665 cm
MARKER 2
12.000000000 GHz
-2.383 dB
MARKER TO MAX
MARKER TO MIN
1 8.000000000 GHz
-1.663 dB

S11 FORWARD REFLECTION
LOG MAGNITUDE REF=0.000 dB 5.000 dB/DIV



MARKER READOUT
FUNCTIONS